AMENDMENT TRANSMITTAL LETTER								Docket No. POM-12502/29	
						Examine		Art Unit	
09/916,566-Conf. #1977					Z. E. Cabre	ra 2123			
Αį	pplicant(s): Jyoti	i Mazumder et	al.				- 3 -		
In		Γ METAL DEP SOURCE	OSITION APP	ARATUS UT	ILIZINO	RAPID RI	ESPONSE	DIODE	
			THE COMMI						
Transmitted herewith is an amendment in the above-identified application.									
٦	The fee has been calculated and is transmitted as shown below.								
	CLAIMS AS AMENDED								
		Claims Remaining After Amendment	Highest Number Previously Pald	Number Extra Claims Present		Rate			
	Total Claims	5	- 20 =	0	х	26.00		0.00	
	Independent Claims	2	- 3 =	0	х	110.00		0.00	
Multiple Dependent Claims (check if applicable)									
	Other fee (please specify):								
	TOTAL ADDIT	OTAL ADDITIONAL FEE FOR THIS AMENDMENT:						0.00	
Large Entity x Small Entity							y		
	x No additiona	No additional fee is required for this amendment.							
Please charge Deposit Account No in the amount of \$ A duplicate copy of this sheet is enclosed.									
	A check in the amount of \$ to cover the filing fee is enclosed. Payment by credit card. Form PTO-2038 is attached.								
X The Director is hereby authorized to charge and credit Deposit Account No. 07-1180 as described below. A duplicate copy of this sheet is enclosed. X Credit any overpayment. X Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17. John G. Posa								-1180	
								16 and 1.17.	
								r / 2008	
								1 4, 2000	
	GIFFORD, KRA 2701 Troy Cent Post Office Box Troy, Michigan	er Drive, Sulte : 7021		N & CITKOW	'SKI, P	.C.			

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Mazumder et al.

Serial No.: 09/916,566 Group No.: 2123

Filed: July 27, 2001 Examiner: Z. Cabrera

For: DIRECT METAL DEPOSITION APPARATUS UTILIZING RAPID-RESPONSE DIODE LASER SOURCE

AMENDMENT

Mail Stop AMENDMENT Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action mailed August 4, 2008, please amend the above-referenced application as follows: